

## Quarterly Dialysis Facility Care Compare on Medicare.gov - Preview Report for October 2022 Release

- **This Quarterly DFCC Preview Report includes data specific to CCN(s): XXXXXX**

- **Purpose of the Report**

This report provides you with advance notice of the updated quality measures for your facility that will be reported on the Dialysis Facility Care Compare (DFCC) website (<https://www.medicare.gov/dialysisfacilitycompare/>).

- **Overview**

This report was created for all Medicare certified dialysis facilities that were open as of December 2021. The measures included in the report are based primarily on Medicare-paid dialysis claims, the End Stage Renal Disease Quality Reporting System (EQRS), and other data collected for CMS. This report contains seven tables that summarize the patient outcomes and treatment patterns for chronic dialysis patients. Unless otherwise specified, data refer to all dialysis patients combined (i.e., hemodialysis and peritoneal dialysis, adult and pediatric). The measures reported in the Table "Quarterly Dialysis Facility Care Compare Preview", beginning on page 4, will be reported on the DFCC website and available in the DFCC downloadable databases at <https://data.medicare.gov/provider-data/> in October 2022.

Description of the methodology for all measures and the star rating in this report can be found in the *Guide to the Quarterly Dialysis Facility Care Compare Report* and the *Technical Notes on the Dialysis Facility Compare Quality of Patient Care Star Rating Methodology for the October 2018 Release*, both of which are available on the DialysisData website at [www.dialysisdata.org](http://www.dialysisdata.org).

- **Data Availability and Reporting Periods**

The EQRS users data suspension guidelines, outlined via the January 29, 2021 EQRS Announcement (<https://mycrownweb.org/2021/01/eqrs-system-announcement-jan-2021/>), have impacted available data of calendar year 2020 for dialysis facilities. As a result, the October 2021 Release of dialysis facilities' data of 2020 has been delayed until October 2022.

CMS's COVID Extraordinary Circumstances Exception (ECE) data policy restricts the use of claims data from March-June 2020 and the use of clinical data from January-June 2020, thus only partial data of 2020 have been used in the calculation of measures.

The table below provides detailed information about each measure's data reporting period(s).

**DFCC July-August 2022 Preview / October 2022 Release Data Reporting Periods**

Table	Measure	Data Reporting Periods
1	Standardized Mortality Ratio (SMR)	2017-2019, January-February and July-December of 2020 (3 years + 8 months)
	Standardized Hospitalization Ratio (SHR)	January-February, July-December, 2020 (8 months)
	Standardized Readmission Ratio (SRR)	January, July-December, 2020 (7 months)
	Standardized Transfusion Ratio (STrR)	January-February, July-December, 2020 (8 months)
	Standardized Fistula Rate (SFR)	July-December, 2020 (6 months)
	Standardized First Kidney Transplant Waitlist Ratio for Incident Patients (SWR)	2017-2019 (3 years)
	Percentage of Prevalent Patients Waitlisted (PPPW)	January-February, July-December, 2020 (8 months)
2	Standardized Infection Ratio (SIR)	2021
3	Hemoglobin	January-February, July-December, 2020 (8 months)
4	Hypercalcemia	July-December, 2020 (6 months)
	Serum Phosphorus Concentrations	July-December, 2020 (6 months)
	Kt/V - Adult PD patients	October-December 2020 (3 months)
	Kt/V - Pediatric PD patients	December 2020 (1 month)
	Kt/V - Adult and pediatric HD patients	July-December, 2020 (6 months)
	Long Term Catheter Rate	October-December, 2020 (3 months)
	nPCR	July-December, 2020 (6 months)
5	The Consumer Assessment of Healthcare Providers and Systems of In-Center Hemodialysis Survey (ICH CAHPS) Patient Experience of Care Measures	Spring 2021 - Fall 2021
6	Quality of Patient Care Star Rating	2016-2019 (Star Rating not updated)

- **How to Submit Comments**

This preview period will be held during **July 15, 2022 - August 15, 2022**. As part of a process to encourage early requests of patient lists to allow sufficient time for facility review and inquiry during the preview period, patient list requests should be made **within the first ten days** of the preview period. During the entire preview period, you may submit comments to CMS on the measures included in this report. Your comments will be shared with CMS but will not appear on the DFCC website. Please visit the [www.dialysisdata.org](http://www.dialysisdata.org) website, log on to view your report, and click on the **Comments & Inquiries** tab. If you have questions after the comment period is closed, please contact us directly at [dialysisdata@umich.edu](mailto:dialysisdata@umich.edu).

**Prepared by**

**The University of Michigan Kidney Epidemiology and Cost Center (UM-KECC) under contract with the Centers for Medicare & Medicaid Services**

SAMPLE

**Quarterly Dialysis Facility Care Compare Preview**

Only partial year of 2020 has been included in measure calculation. See Data Availability and Reporting Periods Section on Page 1 for details.

The following table displays measures for this facility as they will appear on the DFCC website. Please refer to Table 1 for more information on hospitalization (admissions and readmissions), death, transfusion, fistula rate, transplant waitlist ratio, or percentage of patients waitlisted, Table 2 for infection, Table 3 for hemoglobin, Table 4 for mineral and bone disorder, dialysis adequacy and nutritional status measures, and long-term catheter reported in EQRS, Table 5 for patient experience of care, and Table 6 for the quality of patient care star rating calculation. The quality of patient care star rating has not been updated. All the other measures have been updated. For a complete description of the methods used to calculate the statistics in this report, please see the *Guide to the Quarterly Dialysis Facility Care Compare Report*. The *Guide* is available on the Dialysis Data website at [www.dialysisdata.org](http://www.dialysisdata.org).

Measure Name		This Facility
<b>1</b>	<b>Quality of Patient Care Star Rating (2016-2019, Table 6)</b>	★ ★ ★ ☆ ☆ Average
<b>2</b>	<b>Quality of Patient Care Table</b>	
	<b>Avoiding hospitalizations and deaths (Table 1)</b>	
2.1	Frequency of patient death <sup>*1</sup> (2017-2020) Lower Confidence Limit (2.5%), Upper Confidence Limit (97.5%) Classification Category <sup>*2</sup> Number of included patients	24.7 (per 100 patient-years) 16.2, 35.9 As Expected 199
2.2	Frequency of hospital admission <sup>*1</sup> (2020) Lower Confidence Limit (2.5%), Upper Confidence Limit (97.5%) Classification Category <sup>*2</sup> Number of included patients	188.1 (per 100 patient-years) 123.8, 293.6 As Expected 63
2.3	Frequency of hospital readmission <sup>*1</sup> (2020, percentage of hospital discharges) Lower Confidence Limit (2.5%), Upper Confidence Limit (97.5%) Classification Category <sup>*2</sup> Number of hospital discharges	28.9% 15.5% , 45.7% As Expected 64
	<b>Avoiding unnecessary transfusions (2020, Table 1)</b>	
2.4	Rate of Transfusions <sup>*1</sup> Lower Confidence Limit (2.5%), Upper Confidence Limit (97.5%) Classification Category <sup>*2</sup> Number of included patients	24.4 (per 100 patient-years) 7.5, 97.5 As Expected 52
	<b>Transplant waitlist (Table 1)</b>	
2.5	Transplant waitlist within a year of dialysis initiation (2017-2019) Lower Confidence Limit (2.5%), Upper Confidence Limit (97.5%) Classification Category <sup>*4</sup> Number of included patients	0.14 0.00, 0.80 Worse than Expected 55
2.6	Patients who were on the kidney or kidney-pancreas transplant waiting list <sup>*3</sup> (2020) Lower Confidence Limit (2.5%), Upper Confidence Limit (97.5%) Classification Category Number of included patients	14.6% 5.1%, 35.3% As Expected 81
	<b>Preventing bloodstream infections (2021, Table 2)</b>	
2.7	Preventing bloodstream infections: Standardized Infection Ratio Lower Confidence Limit (2.5%), Upper Confidence Limit (97.5%) Classification Category <sup>*2</sup>	0.93 0.05, 4.56 As Expected

(continued)

Quarterly Dialysis Facility Compare Preview (continued):

Measure Name		This Facility
<b>Using the most effective access to the bloodstream<sup>*3</sup> (2020)</b>		
2.8	Rate of fistula (Table 1)	72.2%
	Lower Confidence Limit (2.5%), Upper Confidence Limit (97.5%)	55.9%, 87.4%
	Classification Category <sup>*4</sup>	As Expected
	Number of included patients	98
2.9	Adult patients who had a catheter (tube) left in a vein for at least three consecutive complete months, for the regular hemodialysis treatments (Table 4)	13%
<b>Removing waste from blood and nutritional status<sup>*3</sup> (2020, Table 4)</b>		
2.10	Adult patients who had enough waste removed from their blood during hemodialysis	97%
2.11	Adult patients who had enough waste removed from their blood during peritoneal dialysis	93%
2.12	Children who had enough waste removed from their blood during hemodialysis	Not Available
2.13	Children who had enough waste removed from their blood during peritoneal dialysis	Not Available
2.14	Children who had a monthly normalized protein catabolic rate (nPCR) measured during in-center hemodialysis	Not Available
<b>Keeping a patient's bone mineral levels in balance<sup>*3</sup> (2020, Table 4)</b>		
2.15	Adult patients who had too much calcium in their blood	1%
<b>3</b>	<b>Survey of Patients' Experiences Table<sup>*5</sup> (Spring 2021 - Fall 2021, Table 5)</b>	<b>% of Always (Yes) Responses      Star Rating</b>
3.1	Kidney doctors' communication and caring	56%      ★ ☆ ☆ ☆ ☆
3.2	Dialysis center staff care and operations	65%      ★ ★ ★ ★ ☆
3.3	Providing information to patients	80%      ★ ★ ★ ☆ ☆
3.4	Rating of kidney doctors	47%      ★ ★ ☆ ☆ ☆
3.5	Rating of dialysis center staff	72%      ★ ★ ★ ★ ☆
3.6	Rating of dialysis facility	73%      ★ ★ ★ ☆ ☆
3.7	Overall star rating	n/a      ★ ★ ★ ☆ ☆

n/a = not applicable

[1] The facility rate was calculated by multiplying the facility ratio by the national rate. National rates for mortality, hospitalization, readmission, and transfusion are 22.1, 188.8, 26.8, 21.1, respectively. Calculation of rates using values in report may not equal actual rates shown due to rounding of values.

[2] If the facility SMR (SHR, SRR, STTr, or SIR) is less than 1.00 and statistically significant ( $p < 0.05$ ), the classification is "Better than Expected". This classification is based on the measure ratio, not the rate. If the ratio is greater than 1.00 and statistically significant ( $p < 0.05$ ), the classification is "Worse than Expected". Otherwise, the classification is "As Expected" on DFCC. Please note that the SMR is not reported on DFCC if it is based on fewer than 3 expected deaths. Similarly, the SHR and STTr are not reported if they are based on fewer than 5 or 10 patient years at risk, respectively. The SRR is not reported if the facility experienced fewer than 11 index discharges. The SIR is not reported if there are fewer than 12 months of reporting in NHSN and/or  $\leq 131$  eligible patient-months.

[3] Percentages based on fewer than 11 patients will be reported as "Not Available" on DFCC.

[4] If the facility SFR (or SWR) is greater than national SFR (or SWR) and statistically significant ( $p < 0.05$ ), the classification is "Better than Expected". If the rate is less than national rate and statistically significant ( $p < 0.05$ ), the classification is "Worse than Expected". The classification is "Not Available" if a facility has fewer than 11 eligible adult HD patients for SFR (fewer than 11 patients or less than 2 expected events for SWR). Otherwise, the classification is "As Expected" on DFCC.

[5] Survey results based on 29 or fewer completed surveys over the two survey periods will be reported as "Not Available" on DFCC.

**TABLE 1: Mortality, Hospitalization, Readmission, and Transfusion Summaries for Medicare Dialysis Patients, Fistula Use and Transplant Waitlist Summary for All Dialysis Patients**<sup>\*1</sup>

Only partial year of 2020 has been included in measure calculation. See Data Availability and Reporting Periods Section on Page 1 for details.

The mortality summaries reported in the first part of the table include all Medicare dialysis patients treated at your facility during 2017-2020. The hospital admission and transfusion summaries include all Medicare dialysis patients treated at your facility in 2020. The hospital readmission summaries include all Medicare-covered hospitalizations that ended in 2020 for all patients in your facility. The fistula use summaries include all adult hemodialysis patients treated at your facility in 2020. The transplant waitlist summaries include incident dialysis patients who are younger than 75 years old treated at your facility during 2017-2019. The transplant waitlist percent summaries include dialysis patients who are younger than 75 years old treated at your facility in 2020. State and national averages are included to allow for comparisons.

Measure Name		Regional Averages <sup>*2</sup> , per Year		
		This Facility	State <sup>*8</sup>	U.S.
Standardized Mortality Ratio (SMR)		2017-2020	2017-2020	2017-2020
1a	Medicare patients (n) <sup>*3</sup>	199	81.4	71.0
1b	Patient-years at risk (n)	111	52.2	43.0
1c	Deaths (n) <sup>*3</sup>	27	11.0	9.5
1d	Expected deaths (n) <sup>*3</sup>	24	10.8	9.5
1e	Standardized Mortality Ratio <sup>*4</sup>	1.12	1.02	1.00
	Lower Confidence Limit <sup>*5</sup> (2.5%)	0.74	n/a	n/a
	Upper Confidence Limit <sup>*5</sup> (97.5%)	1.62	n/a	n/a
1f	P-value <sup>*6</sup>	0.620	n/a	n/a
1g	Mortality Rate (per 100 patient-years) <sup>*7</sup>	24.7	n/a	22.1
	Lower Confidence Limit <sup>*5</sup> (2.5%)	16.2	n/a	n/a
	Upper Confidence Limit <sup>*5</sup> (97.5%)	35.9	n/a	n/a
Standardized Hospitalization Ratio (SHR): Admissions		2020	2020	2020
1h	Medicare patients (n)	63	82.5	66.8
1i	Patient-years at risk (n)	39	52.3	43.1
1j	Total admissions (n)	80	93.5	80.4
1k	Expected total admissions (n)	80.2	94.8	81.2
1l	Standardized Hospitalization Ratio (Admissions) <sup>*4</sup>	1.00	0.99	1.00
	Lower Confidence Limit <sup>*5</sup> (2.5%)	0.66	n/a	n/a
	Upper Confidence Limit <sup>*5</sup> (97.5%)	1.56	n/a	n/a
1m	P-value <sup>*6</sup>	0.963	n/a	n/a
1n	Hospitalization Rate (per 100 patient-years) <sup>*7</sup>	188.1	n/a	188.8
	Lower Confidence Limit <sup>*5</sup> (2.5%)	123.8	n/a	n/a
	Upper Confidence Limit <sup>*5</sup> (97.5%)	293.6	n/a	n/a
Standardized Readmission Ratio (SRR)		2020	2020	2020
1o	Index discharges (n)	64	86.0	72.8
1p	Total readmissions (n)	18	22.4	19.9
1q	Expected total readmissions (n)	16.6	22.8	20.4
1r	Standardized Readmission Ratio <sup>*4</sup>	1.08	1.02	1.04
	Lower Confidence Limit <sup>*5</sup> (2.5%)	0.58	n/a	n/a
	Upper Confidence Limit <sup>*5</sup> (97.5%)	1.70	n/a	n/a
1s	P-value <sup>*6</sup>	0.887	n/a	n/a
1t	Readmission Rate (Percentage of hospital discharges) <sup>*7</sup>	28.9%	n/a	26.8%
	Lower Confidence Limit <sup>*5</sup> (2.5%)	15.5%	n/a	n/a
	Upper Confidence Limit <sup>*5</sup> (97.5%)	45.7%	n/a	n/a

(continued)

**TABLE 1: Mortality, Hospitalization, Readmission, and Transfusion Summaries for Medicare Dialysis Patients, Fistula Use and Transplant Waitlist Summary for All Dialysis Patients <sup>\*1</sup>(continued)**

Measure Name		Regional Averages <sup>*2</sup> , per Year	
		State <sup>*8</sup>	U.S.
Standardized Transfusion Ratio (STrR)		2020	2020
1u	Adult Medicare Patients (n)	52	72.2
1v	Patient-years at risk (n)	29	42.4
1w	Total transfusions (n)	7	8.6
1x	Expected total transfusions (n)	6.0	8.8
1y	Standardized Transfusion Ratio <sup>*4</sup>	1.15	0.98
	Lower Confidence Limit <sup>*5</sup> (2.5%)	0.36	n/a
	Upper Confidence Limit <sup>*5</sup> (97.5%)	4.61	n/a
1z	P-value <sup>*6</sup>	0.706	n/a
1aa	Transfusion Rate (per 100 patient-years) <sup>*7</sup>	24.4	n/a
	Lower Confidence Limit <sup>*5</sup> (2.5%)	7.5	n/a
	Upper Confidence Limit <sup>*5</sup> (97.5%)	97.5	n/a
Standardized Fistula Rate (SFR)		2020	2020
1ab	Eligible adult HD patients (n)	98	114.1
1ac	Patient-months at risk (n)	923	1,017.5
1ad	Total fistula-months (n)	677	686.9
1ae	Standardized Fistula Rate <sup>*4</sup>	72.2%	66.8%
	Lower Confidence Limit <sup>*5</sup> (2.5%)	55.9%	n/a
	Upper Confidence Limit <sup>*5</sup> (97.5%)	87.4%	n/a
1af	P-value <sup>*6</sup>	0.280	n/a
Standardized First Kidney Transplant Waitlist Ratio for Incident Dialysis Patients (SWR)		2017-2019	2017-2019
1ag	Eligible patients (n) <sup>*3</sup>	55	14.0
1ah	Patient-years at risk (n)	52	12.4
1ai	Transplant waitlist events or receipt of a living-donor transplant (n) <sup>*3</sup>	1	1.6
1aj	Expected number of transplant waitlist or living-donor transplant events (n) <sup>*3</sup>	7.0	1.4
1ak	Standardized Waitlist Ratio <sup>*4</sup>	0.14	1.17
	Lower Confidence Limit <sup>*5</sup> (2.5%)	0.00	n/a
	Upper Confidence Limit <sup>*5</sup> (97.5%)	0.80	n/a
1al	P-value <sup>*6</sup>	0.014	n/a
Percentage of Prevalent Patients Waitlisted (PPPW)		2020	2020
1am	Eligible patients (n)	81	93.9
1an	Patient-months at risk (n)	752	820.9
1ao	Total waitlisted months (n)	113	232.2
1ap	Percentage of prevalent patients waitlisted <sup>*4</sup>	14.6%	29.5%
	Lower Confidence Limit <sup>*5</sup> (2.5%)	5.1%	n/a
	Upper Confidence Limit <sup>*5</sup> (97.5%)	35.3%	n/a
1aq	P-value <sup>*6</sup>	0.602	n/a

n/a = not applicable

[1] See Guide, Section VI.

[2] Values are shown for the average facility, annualized.

[3] Sum of 4 years (SMR) or 3 years (SWR) used for calculations; should not be compared to regional averages.

[4] Calculated as a ratio of observed deaths (or admissions/readmissions/transfusions/transplants waitlisted) to expected deaths (or admissions/readmissions/transfusions/transplants waitlisted) (1c to 1d for deaths, 1j to 1k for admissions, 1p to 1q for readmissions, 1ai to 1aj for waitlist), an adjusted rate of fistula use, or an adjusted percentage of patients waitlisted. Not shown if there are fewer than 3 expected deaths for SMR, fewer than 5 or 10 patient-years at risk for SHR or STrR, fewer than 11 index discharges for SRR, fewer than 11 eligible adult HD patients for SFR, fewer than 2 expected waitlisted events or fewer than 11 eligible patients for SWR, or fewer than 11 eligible patients for PPPW, respectively.

[5] The confidence interval range represents uncertainty in the value of the SMR, SHR, SRR, STrR, SFR, SWR, and PPPW due to random variation.

[6] A p-value less than 0.05 indicates that the difference between the observed and expected deaths (or admissions/readmissions/transfusions/transplants waitlisted), the difference between the fistula rate for your facility and the overall national fistula rate, or the difference between the percentage of prevalent patients waitlisted for your facility and the overall national percentage (PPPW) is probably real and is not due to random chance alone. A p-value greater than or equal to 0.05 indicates that the difference could plausibly be due to random chance.

[7] The facility rate was calculated by multiplying the facility ratio by the national rate. National rates for mortality, hospitalization, readmission, and transfusion are 22.1, 188.8, 26.8, 21.1, respectively. Calculation of rates using values in report may not equal actual rates shown due to rounding of values.

[8] State values not reported when < 3 Medicare-certified dialysis facilities exist in the state.

**TABLE 2: Facility Bloodstream Infection Summary for Hemodialysis Patients based on National Healthcare Safety Network (NHSN) (2021)**<sup>\*1</sup>

This table displays bloodstream infection information for dialysis facilities as collected from the National Healthcare Safety Network.

Measure Name		This Facility
<b>Standardized Infection Ratio (SIR)</b>		<b>2021</b>
2a	Eligible patient-months (n)	137
2b	Observed bloodstream infections (n)	1
2c	Predicted bloodstream infections (n)	1.1
2d	Standardized Infection Ratio <sup>*2</sup>	0.93
	Lower Confidence Limit <sup>*3</sup> (2.5%)	0.05
	Upper Confidence Limit <sup>*3</sup> (97.5%)	4.56

[1] See *Guide, Section VII*.

[2] Calculated as a ratio of observed infections to expected infections (2b to 2c for infections); not shown if there are fewer than 12 months of reporting in NHSN and/or <= 131 eligible patient-months.

[3] The confidence interval range represents uncertainty in the value of the SIR due to random variation.



**TABLE 3: Facility Hemoglobin for Medicare Dialysis Patients based on Medicare Dialysis Claims (2020)**<sup>\*1</sup>

Only partial year of 2020 has been included in measure calculation. See Data Availability and Reporting Periods Section on Page 1 for details.

One-year state and national averages are included to allow for comparisons. The quarterly values are provided in order to allow for you to evaluate facility time trends and will not appear on DFCC. This measure is based on all Medicare dialysis claims reported under the CCN(s) included in this report.

Measure Name	Q1	Q2	This Facility			Regional Averages <sup>*2</sup>	
	Jan'20-Mar'20	Apr'20-Jun'20	Q3 Jul'20-Sep'20	Q4 Oct'20-Dec'20	Q1-Q4 Jan'20-Dec'20	State <sup>*4</sup> Jan'20-Dec'20	U.S. Jan'20-Dec'20
<b>Hemoglobin<sup>*3</sup></b>							
3a Eligible patients (n)	82	76	79	77	81	53.2	36.9
3b Hemoglobin < 10g/dL (% of 3a)	30.5	21.1	24.1	32.5	29.6	21.7	19.2
3c Hemoglobin > 12g/dL (% of 3a)	1.2	0.0	2.5	1.3	0.0	0.9	0.2

[1] See Guide, Section VIII.

[2] Values are shown for the average facility. Measure values will be missing if there are no eligible patients/patient-months.

[3] Among patients with at least 1 eligible claim/quarter and 4 eligible claims/year; eligible claims include ESA-treated dialysis patients with ESRD for 90+ days at this facility.

[4] State values not reported when < 3 Medicare-certified dialysis facilities exist in the state.

**TABLE 4: Facility Dialysis Adequacy, Nutritional Status, Long Term Catheter Use, and Mineral and Bone Disorder for Dialysis Patients based on EQRS<sup>\*1</sup>**

Only partial year of 2020 has been included in measure calculation. See Data Availability and Reporting Periods Section on Page 1 for details.

One-year state and national averages are included to allow for comparisons. The quarterly values are provided in order to allow you to evaluate facility time trends and will not appear on DFCC. These measures are based on EQRS data.

Measure Name	This Facility					Regional Averages <sup>*2</sup>	
	Q1 Jan'20-Mar'20	Q2 Apr'20-Jun'20	Q3 Jul'20-Sep'20	Q4 Oct'20-Dec'20	Q1-Q4 Jan'20-Dec'20	State <sup>*9</sup> Jan'20-Dec'20	U.S. Jan'20-Dec'20
<b>Hypercalcemia</b>							
4a Eligible adult patients (n)	110	113	109	108	141	82.1	82.4
4b Eligible adult patient-months (n) <sup>*3</sup>	302	313	313	307	1,235	724.3	719.6
4c Average uncorrected serum or plasma calcium >10.2 mg/dL <sup>*8</sup>	1.0	0.6	0.0	0.7	0.6	1.9	1.8
<b>Serum Phosphorus Concentrations</b>							
4d Eligible adult patients (n)	122	118	118	113	149	86.4	87.0
4e Eligible adult patient-months (n) <sup>*3</sup>	329	335	327	323	1,314	743.8	742.4
4f Serum phosphorus categories (%; sums to 100%)							
<3.5 mg/dL	4.6	8.1	9.2	4.3	6.5	7.8	8.2
3.5-4.5 mg/dL	20.1	28.4	23.2	22.0	23.4	23.7	24.6
4.6-5.5 mg/dL	35.3	30.4	38.8	27.9	33.1	31.1	30.9
5.6-7.0 mg/dL	22.8	19.7	18.0	25.7	21.5	21.8	22.1
>7.0 mg/dL	17.3	13.4	10.7	20.1	15.4	15.6	14.2
<b>Kt/V<sup>*4</sup></b>							
4g Eligible adult hemodialysis (HD) patients (n) <sup>*5</sup>	90	95	93	85	114	74.8	72.9
4h Eligible adult HD patient-months (n) <sup>*3 *5</sup>	248	265	264	244	1,021	653.7	629.3
4i Eligible patient-months with Kt/V missing or out of range (n)	5	4	3	2	14	11.1	8.9
4j Adult HD: Kt/V ≥1.2 (% of 4h)	97.2	96.2	97.3	99.2	97.5	96.8	96.8
4k Eligible adult peritoneal dialysis (PD) patients (n)	19	17	17	21	31	20.8	21.3
4l Eligible adult PD patient-months (n) <sup>*3</sup>	50	44	45	57	196	166.1	168.8
4m Eligible patient-months with Kt/V missing or out of range (n)	0	0	0	0	0	7.1	6.1
4n Adult PD: Kt/V ≥1.7 (% of 4l) <sup>*6</sup>	90.0	95.5	97.8	89.5	92.9	90.5	91.4
4o Eligible HD pediatric patients (n) <sup>*5</sup>	0	0	0	0	0	n/a	n/a
4p Eligible HD pediatric patient-months (n) <sup>*3 *5</sup>	0	0	0	0	0	n/a	n/a
4q Eligible patient-months with Kt/V missing or out of range (n)	.	.	.	.	.	n/a	n/a
4r Pediatric HD: Kt/V ≥1.2 (% of 4p)	.	.	.	.	.	94.0	91.9
4s Eligible PD pediatric patients (n)	0	0	0	0	0	n/a	n/a
4t Eligible PD pediatric patient-months (n) <sup>*3</sup>	0	0	0	0	0	n/a	n/a
4u Eligible patient-months with Kt/V missing or out of range (n)	.	.	.	.	.	n/a	n/a
4v Pediatric PD: Kt/V ≥1.8 (% of 4t) <sup>*7</sup>	.	.	.	.	.	65.6	72.1

(continued)

**TABLE 4: Facility Dialysis Adequacy, Nutritional Status, Long Term Catheter Use, and Mineral and Bone Disorder for Dialysis Patients based on EQRS (2020) <sup>\*1</sup>(continued)**

Measure Name	This Facility					Regional Averages <sup>*2</sup>	
	Q1 Jan'20-Mar'20	Q2 Apr'20-Jun'20	Q3 Jul'20-Sep'20	Q4 Oct'20-Dec'20	Q1-Q4 Jan'20-Dec'20	State <sup>*9</sup> Jan'20-Dec'20	U.S. Jan'20-Dec'20
<b>Long Term Catheter Rate</b>							
4w Eligible adult HD Patients (n)	98	99	98	91	122	80.9	79.9
4x Patient-months at risk (n) <sup>*3</sup>	276	284	272	262	1,094	702.1	685.0
4y Long-Term Catheter Rate <sup>*8</sup>	14.5	10.9	14.0	11.8	12.8	11.9	12.5
<b>nPCR</b>							
4z Eligible pediatric in-center HD patients	0	0	0	0	0	n/a	n/a
4aa Eligible pediatric in-center HD patient-months <sup>*3</sup>	0	0	0	0	0	n/a	n/a
4ab Percentage of pediatric in-center hemodialysis patient-months with documented monthly nPCR measurements	.	.	.	.	.	92.6	91.3

[1] See Guide, Section IX.

[2] Counts are shown for the average facility. Counts will be missing if there are no eligible patients/patient-months.

[3] Patients may be counted up to 12 times per year.

[4] Missing or out of range Kt/V values are supplemented with Medicare dialysis claims.

[5] HD Kt/V summaries are restricted to patients who dialyze thrice weekly.

[6] Adult PD Adequacy uses the most recent value over a 4-month look-back period.

[7] Pediatric PD Adequacy uses the most recent value over a 6-month look-back period.

[8] Missing values are included in the numerator.

[9] State values not reported when &lt; 3 Medicare-certified dialysis facilities exist in the state.

**TABLE 5: Patient Experience of Care based on ICH CAHPS (Spring 2021 - Fall 2021)** <sup>\*1 \*4</sup>

ICH CAHPS survey results are reported for three composite measures and three global items. Linearized score and star rating for each composite measure and an overall star rating are also shown. The data include the two most recent semi-annual surveys. State and National averages are included to allow for comparisons.

Measure Name		Regional Statistics <sup>*2</sup>		
		This Facility	State	U.S.
ICH CAHPS <sup>*3</sup>		Spring 2021-Fall 2021	Spring 2021-Fall 2021	Spring 2021-Fall 2021
5a	Number of Completed Surveys	56	19,954	201,625
5b	Response Rate (%)	29	30	31
<b>Composite Measures <sup>*3</sup></b>				
5c	Percent of Patients reporting- Kidney doctors' communication and caring			
	Always	56	69	68
	Sometimes	14	14	14
	Never	30	17	18
	Linearized Score	72	82	81
	Star Rating	★☆☆☆☆	n/a	n/a
5d	Percent of Patients reporting- Dialysis center staff care and operations			
	Always	65	63	63
	Sometimes	19	18	19
	Never	16	19	18
	Linearized Score	82	80	80
	Star Rating	★★★★☆	n/a	n/a
5e	Percent of Patients reporting- Providing information to patients			
	Yes	80	80	81
	No	20	20	19
	Linearized Score	80	80	81
	Star Rating	★★★☆☆	n/a	n/a
<b>Global Items <sup>*3</sup></b>				
5f	Percent of Patients- Rating of kidney doctors			
	Most favorable	47	62	60
	Middle favorable	27	25	26
	Least favorable	26	13	14
	Linearized Score	76	85	85
	Star Rating	★★☆☆☆	n/a	n/a
5g	Percent of Patients- Rating of dialysis center staff			
	Most favorable	72	63	64
	Middle favorable	20	26	25
	Least favorable	8	11	11
	Linearized Score	88	86	86
	Star Rating	★★★★☆	n/a	n/a

(continued)

**TABLE 5: Patient Experience of Care based on ICH CAHPS (Spring 2021 - Fall 2021) <sup>\*1</sup> (continued)**

Measure Name		Regional Statistics <sup>*2</sup>	
		This Facility	U.S.
Global Items <sup>*3</sup>		State	U.S.
		Spring 2021-Fall 2021	Spring 2021-Fall 2021
5h	Percent of Patients- Rating of dialysis facility		
	Most favorable	73	69
	Middle favorable	15	20
	Least favorable	12	11
	Linearized Score	87	87
	Star Rating	★ ★ ★ ☆ ☆	n/a
5i	Overall Star Rating	★ ★ ★ ☆ ☆	n/a

n/a = not applicable

[1] See *Guide, Section X*.

[2] Values are shown for the average facility except for Number of Completed Surveys which is a total value.

[3] Not shown if there are 29 or fewer completed surveys over the two survey periods.

[4] Due to the suspension of users entering clinical data as a result of issues from the transition of CROWNWeb to EQRS, the sample for the 2021 Spring Sample is from new data provided by the ESRD National Coordinating Center (instead of CROWNWeb) and reusing the April-June 2020 clinical data provided prior to CROWNWeb closing.

**TABLE 6: Quality of Patient Care Star Rating Calculation**<sup>\*1</sup>

This star rating is based on the measures reported in the QDFCC-Preview Report for the October 2020 Release. It has not been updated for the October 2022 Refresh. The time period for SMR in this table is 2016-2019; all other measures are 2019. Important: The time period reflected for these measures do not match the time periods in Tables 1 and 4. Further description of the methodology can be found in *Section X* of the *Guide to the Quarterly Dialysis Facility Care Compare Report*.

	Calculation Definition	This Facility
<b>6a</b>	<b>Standardized Outcomes Domain Score</b> (average of 6c, 6e, 6g, and 6i) <sup>*2</sup>	-0.46
6b	Standardized Mortality Ratio (SMR) <sup>*3</sup>	1.12
6c	Measure Score: SMR <sup>*4</sup>	-0.66
6d	Standardized Hospitalization Ratio (Admissions) (SHR) <sup>*3</sup>	1.00
6e	Measure Score: SHR <sup>*4</sup>	-0.27
6f	Standardized Readmission Ratio (SRR) <sup>*3</sup>	1.08
6g	Measure Score: SRR <sup>*4</sup>	-0.57
6h	Standardized Transfusion Ratio (STrR) <sup>*3</sup>	1.15
6i	Measure Score: STrR <sup>*4</sup>	-0.36
<b>6j</b>	<b>Other Outcomes 1 Domain Score</b> <sup>*5</sup> (average of 6l and 6n) <sup>*2</sup>	0.15
6k	Standardized Fistula Rate (SFR) <sup>*6</sup>	72.43
6l	Measure Score: SFR <sup>*4</sup>	0.89
6m	Long Term Catheter Rate <sup>*6</sup>	15.95
6n	Measure Score: Catheter <sup>*4</sup>	-0.60
<b>6o</b>	<b>Other Outcomes 2 Domain Score</b> (average of 6u and 6w) <sup>*2</sup>	0.35
6p	Adult HD: Percentage of patients with Kt/V $\geq 1.2$ <sup>*6</sup>	98.26%
6q	Adult PD: Percentage of patients with Kt/V $\geq 1.7$ <sup>*6</sup>	92.89%
6r	Pediatric HD: Percentage of patients with Kt/V $\geq 1.2$ <sup>*6</sup>	Not Available
6s	Pediatric PD: Percentage of patients with Kt/V $\geq 1.8$ <sup>*6</sup>	Not Available
6t	Overall: Percentage of patients with Kt/V $\geq$ specified threshold <sup>*7</sup>	97.25%
6u	Measure Score: Kt/V <sup>*4</sup>	0.55
6v	Percentage of patients with uncorrected serum or plasma calcium $> 10.2$ mg/dL <sup>*6</sup>	1.95%
6w	Measure Score: Hypercalcemia <sup>*4</sup>	0.14
<b>6x</b>	<b>Final Score (average of 6a, 6j, 6o)</b> <sup>*8 *9</sup>	0.0105
<b>6y</b>	<b>Quality of Patient Care Star Rating</b>	★ ★ ★ ☆ ☆

[1] See *Guide, Section XI*.

[2] The Domain Score is the average of the measure scores within that domain. If there is at least one measure in the domain, the missing measures in that domain are imputed with the average of the measure score to limit the non-missing measures from being too influential. If all measures in a domain are missing, then the domain score is not calculated.

[3] Calculated as a ratio of observed deaths (or admissions/readmissions/transfusions) to expected deaths (or admissions/readmissions/transfusions); not included in star rating calculation if there are fewer than 3 expected deaths for mortality, fewer than 5 or 10 patient-years at risk for admissions or transfusions, or fewer than 11 index discharges for readmissions, respectively.

[4] If a measure is Not Available, its measure score will be imputed with the average of the measure score to limit the non-missing measures from being too influential in calculation of the domain score.

[5] Facilities that serve only PD patients will not have any measures in this domain since their patients do not have fistulas or catheters. For these facilities, this domain was not included in the star rating calculation.

[6] Percentages based on 10 or fewer patients are shown in this table but will be reported as 'Not Available' on DFCC.

[7] For improved ability to compare Kt/V in facilities with different types of patients in terms of modality or pediatric status, the adult and pediatric HD and PD Kt/V measurements were pooled into one measure. The percentage of patients that achieve Kt/V greater than the specified thresholds for each of the four respective patient types (adult PD patients, adult HD patients, pediatric HD patients, and pediatric PD patients) was weighted based on the number of patient-months of data available. If the overall Kt/V percentage is based on 10 or fewer patients, then it is reported as 'Not Available' in this table.

[8] Final score is the average of the 3 domain scores. If all measures in a given domain are missing, then there is no final score and no star rating computed with the exception of PD only facilities. PD only facilities are not eligible for Other Outcomes Domain 1 (SFR and catheter), therefore, they are only scored on the Standardized Outcomes Domain and Other Outcomes 2 Domain if they have at least one measure value in each of these two domains.

[9] The final score value has been truncated for display purposes.